

HOW TO MAKE AN EVEN PEYOTE WEAVE?

By : Tiffanie Perles&Co



3h

Want to learn Peyote weaving ? Start by following this instruction sheet, which will show you how to make a Peyote weaving strip with an even number of beads. With this technique, you can make a bracelet, for example. Start by practicing with this beginner's peyote bracelet pattern. Once you've mastered this technique, you can move on to [odd-numbered Peyote weaving](#) and [Peyote weaving increases and decreases](#).

This video is the third episode of our Beginner Weaving Training. The aim of this course is to teach you the basics of bead weaving with a needle, without a loom. Here are the other episodes released so far:


- Episode 1: [What equipment do I need to start beading?](#)
- Episode 2: [Learning Brick Stitch](#)

How much thread should I cut?

You can cut 1.5 to 2 m of thread. In needle-bead weaving, you cut a length of thread that you're comfortable weaving with, and pick up a new one when the first one runs out. This is called "thread arm length", because the ideal length is the length of your arms. So you don't use a single thread for the whole weave, and that goes for all the tutorials of this type you'll come across.

How do I change the thread in a bead weave?

Stop weaving when you have about 10 cm of thread left. To block the thread, go through the beads again, passing through two or three at a time. Make at least four passes through the beads. Pull on the last bead to check that the thread no longer moves. If it does, cut it off. If it doesn't, weave through the beads one or two more times. Take a new piece of thread, thread it onto the needle and make a few more passes through the weave to block the thread. Remember to hold the thread at the start so that it doesn't come off when you pull on it. Once it stops slipping, move through the beads to pick up where you left off.



How do I stop a bead weave?

How you finish the weave depends on how you're going to wear the bracelet. You can either glue your weave to a metal bracelet, or [adapt the peyote weave to a weaving tip](#). This technique is shown at the end of the video. As the beads are only aligned every other row, and the beads in the second-to-last row prevent the weaving tip from sliding on, you need to add a bead to each bead in the last row. In this way, you can easily slide the weaving tip over these last beads. The technique used to attach these beads is called ladder stitch. This is the technique used in our previous video, to start brick stitching.

Once you've added the beads to the last row of beads using ladder stitch, lock your thread into the weave, as explained above, and cut it.

Which material to use for How to make an even Peyote weave??


SUPPLIES



Miyuki Delica 11/0 DB0203 - Cream Ceylon
Ref. : DB-0203
Quantity : 1




Miyuki Delica 11/0 DB0795 - Dyed Semi Mat Opaque Cinnabar x8g
Ref. : DB-0795
Quantity : 1




Miyuki Delica Duracoat 11/0 DB1832 - Galvanized Gold
Ref. : DB-1832
Quantity : 1




Miyuki Delica 11/0 DB1906 - Opaque Rosewater x8g
Ref. : DB-1906
Quantity : 1



Miyuki Delica 11/0 DB2120 - Duracoat Opaque Maroon x8g
Ref. : DB-2120
Quantity : 1



Miyuki Delica Duracoat 11/0 DB2192 - Dyed Montana Silver Lined x8g
Ref. : DB-2192
Quantity : 1



Miyuki Delica 11/0 DB2317 - Opaque Glazed Bayberry Mat AB x8g
Ref. : DB-2317
Quantity : 1



Miyuki Delica Duracoat 11/0 DB2356 - Opaque Dyed Pale Turquoise x8g
Ref. : DB-2356
Quantity : 1



Fireline Thread - Fused Braid 0.10 mm (4LB) Crystal x50 m
Ref. : FCU-960
Quantity : 1



10mm Golden Stainless steel 304 multi strand tu end for seed beads & Delica x2
Ref. : INX-533
Quantity : 1



4x0.7mm 316L Stainless Steel Open jumpRings - Gold Tone x10
Ref. : INX-872
Quantity : 1



10mm 304L stainless steel Lobster clasp extension chain with star - Gold x1
Ref. : STL-268
Quantity : 1

SUPPLIES



Worked embroidery scissors 9 cm by Perles & Co - Gold x1
Ref. : COU-610
Quantity : 1



33x33cm Beading mat on wooden stand with 14 compartments - Grey - Beige x1
Ref. : HRA-645
Quantity : 1



Miyuki Beading needles x6
Ref. : OAC-162
Quantity : 1



Kit of 3 Pliers professional quality for jewelry - Chain nose pliers, Cutting pliers, Round nose pliers
Ref. : OTL-580
Quantity : 1



Jewel Glue Hasulith 30ml
Ref. : OUTIL-007
Quantity : 1

steps


★ Step 1/4

String an even number of beads. Hold them to prevent them from falling off, or add a holding bead beforehand. Leave 10 cm of end thread to finish weaving later.




★ Step 2/4

Thread a new bead to start the next row of beads, and pass the thread through the penultimate bead you threaded previously. Follow the instructions in the diagram.




★ Step 3/4

Thread a new bead and pass the thread through the second bead starting from the bead from which your thread exits. So "skip" a bead each time you add a bead to the row. As the weave expands, you'll find it easier to see where to add beads, as the weave will form "hollows" that you can simply fill.



★ Step 4/4

As in step 2, add a new bead to start the new strand of beads and thread through the last bead you added in step 3. Repeat the above steps until you obtain the desired bracelet length.



Result

