

HOW TO ADAPT BEAD WEAVES TO LOOPS WITH BUCKLES?

By : Perles & Co



0 minutes

Attention, we inform you that the following tutorial has been translated by the automatic translator Google Traduction. We are not responsible for the errors caused and we apologize in advance for the inconvenience. Feel free to contact our customer service via [this online form](#) if you need help to understand this tutorial.

Are you wondering how to adapt your Peyote, Brick Stitch or weaving loom weaving to loops with buckles like ARG-069, ARG-104, ARG-626 and ARG-627 ? Follow this data sheet to use these clasps and [charms tips](#).

Adapt the Peyote and Brick Stitch weave to the clasps

Step 1 :

Make a weave about 1 cm long and stop when the pearls of both ends of the weave can nest.



2nd step :

Wrap the weave around one of the clasp bars and "zap" together the two ends of the weave.



Step 3:

Continue weaving from the created loop.



To adapt a weaving of pearls to the loom with clasps

Once your weaving is finished, do not tuck the threads into the weave. Wrap the weave around the clasp bar, then tie the end of the weave to the rest of the weave by securing the remaining threads in the weave. Do the same on the other side, taking care in the direction of the sliding clasp.

Copyright Perles & Co - 2017.

All rights reserved. Reproduction, even partial, is forbidden without the author's agreement.

<https://www.perlesandco.co.uk/>

Result