

## WHAT PUNCH NEEDLE OR MAGIC NEEDLE TO CHOOSE?

By: Perles & Co







0 minutes



How to choose your punch needle?

## www.perlesandco.com

Choosing the justing and sead of the project can be likewed to a resident detailed by number of locks or reselled used, consistent and the complete and the com



These are magic needles with a vecoden handle not adjustable in height. They are manageable and resistant, making them needles recommended by most experts. The hands of this mark are suparated into two dammeters of needles. These are the 'regular' and 'Twe'.

The numbers of needles the size of the wood. These numbers are, 10, 10, 10 and '14. They include the length of the needle and themson he height of the body you will apply a face takes are member, you have to pash the needle up to the handle in the canness. The bigger the number, the aborter the needle. 14 is the shortest needle.

Our cast less exements the filter ments used all all and he most addulated to extile the canned resident the filter than canned resident the canness. The bigger the number, the aborter the needle. 14 is the shortest needle.

Our cast less exements the filter ments used all all and he most addulated to extile near developed and the filter shortest and filter.

On our site we currently sell the most used of all and the most advisable to start. The wool size recommended for the osf-or regular punch needle is wool that kell. The helight of the loose according to the number of the Oxford hunds:

8:12.7 mm 9:9.5 mm 10:6.3 mm

14: 32 mm.
The canvas size recommended with the regular is <u>canvas for punch needle 2.4 pts / cm</u> or <u>baring</u>.
For the fine, from 4 pts / cm to 5 pts / cm. Be careful, do not take the Penelose DMC canvas at 4 pts / cm because it is much too ripid.

The Nearlie Durch DMC 10 Recular (TECH-240) and the Creative Seed Durch Nearlie (TECH-270):



Similar to the Oxford 10 regular too. A needle can put the thread in the punch, suddenly the big wool will have a little trouble passing. Non-adjustable size.



hear as the same parts bureful. So the soften and the soft for the black. They have no an equivable inepide and a discense inside to the Content regular. They are made of plants therefore has confortable over time through experience incomposition become for the official management of the social in its first the social reviewed in 15 forms. The composition is social or about a few forms in discense in 15 forms. The content is not the social reviewed in 15 forms. The content is not the social reviewed in 15 forms. It is not the social reviewed in 15 forms. The content is not the social reviewed in 15 forms. The content is not the social reviewed in 15 forms. The content is not the social reviewed in 15 forms. The content is not the social review in 15 forms. The content is not the social review in 15 forms and the content is not the social review in 15 forms. It is not the social review in 15 forms and the 15 forms. The content is not the social review in 15 forms. The content is not the social review in 15 forms. The content is not the social review in 15 forms are not in 15 forms. The content is not the social review in 15 forms are not in 15 forms. The content is not in 15 forms are not in 15 forms are not in 15 forms. The content is not in 15 forms are not in 15 forms are not in 15 forms are not in 15 forms. The content is not in 15 forms are not in 15 forms are not in 15 forms are not in 15 forms. The content is not in 15 forms are not in 15 forms. The content is not in 15 forms are not in 15 forms



Et a samid punch remelt refer used for embository. The needles are interchangeable. It is said eith a needle 2 shared with consequend to 3 stands of son of a skin of embository SVC Classic. The other needles consequend to 1 single stand, 6 stands or fine sood for the largest for example would no needle No. 3 as Eccusive sood for Ariespan.





Not adjustable. Its height is between 6 and 10 osford. Use wool for kriting needles No. 3 maximum with 6.4 pts / cm canvas. The Needle Punch Adjustable for Embroidery with 4 Needle Sizes (TECH-029):



The needes are 3 mm, 22 mm, 1.6 mm and 1.26 mm. The compatible woods are the same as the one above for the 3 mm neede and for the 2.2 mm take wood for knitting needes no. 3 maximum. The 1.6 mm and 1.26 mm needes are used with embroidery lakens. Use a few less strands of wire for the amalter one. Take 4pts / cm convers for the biggest and go down to the fabric for the finest. Attention, in the case of the use of the fabric for the smaller one.



This one has the smallest needles. They are 2.2 mm, 1.6 mm and 1.3 mm. See above for wool and fabric compatibility.

Result