

3-ROW ELASTIC RING WITH PEARLY PEARLS

By : Tiffanie Perles&Co



Easy



10 minutes

How to make an elastic ring

Re-discover our multi-strand elastic pearl ring, now available in two new versions: a white and gold version, and a black and silver version. These chic, easy-to-create rings are perfect for accessorizing your everyday outfits or for special occasions. They don't require complex tools to make - a simple pair of scissors and glue are all you need. This DIY tutorial is therefore an ideal project for getting started in personalized jewelry making.

These rings are also ideal for layering. Wear several rings on different fingers for a trendy, bohemian effect, or combine them with other pearl jewelry for a harmonious look. They also suit more casual styles: wear a single ring for a minimalist yet elegant effect with jeans and a t-shirt, or combine it with bracelets and necklaces for a more elaborate look.

Originally, this [DIY ring](#) was made with white [PureCrystal pearls](#) and four silver 3-strand spacers adorned with rhinestones. To save money, we've reduced the number of spacers, making this ring even more affordable.

Although we've kept PureCrystal pearls in our list of materials, you're free to choose other types of pearly pearls, such as Preciosa or Aurora pearls. Explore other bead options in our "Material Variations" section, but make sure the bead hole diameter fits the 0.5 mm elastic thread. A 0.8 mm hole is ideal for easy handling.

Using the remaining beads dedicated to the creation of the two 3-strand rings, we also made two other simple elastic rings. The number of remaining beads may vary according to the size of your fingers. For larger fingers, you may need more beads. In this case, adjust the quantities for the single rings or consider buying extra bags of beads.

Get started on this DIY project and share your unique creations with us!

Which material to use for 3-row elastic ring with pearly pearls?

SUPPLIES



PureCrystal 5810 Pearls 4mm White Pearl x20
Ref. : 5810_04/23
Quantity : 2



PureCrystal 5810 Pearls 6mm White Pearl x10
Ref. : 5810_06/23
Quantity : 1



Elastic thread 0.5 mm Stretch Magic Griffin Transparent x 25m
Ref. : FCU-726
Quantity : 1



3 strands spacer 17x5 mm gold tone Crystal rhinestones x1
Ref. : INT-072
Quantity : 1



Brass Round beads European manufacture 4 mm fine Gold plated x20
Ref. : MET-172
Quantity : 1



Jewel Glue Hasulith 30ml
Ref. : OUTIL-007
Quantity : 1

steps

★ Step 1/5

To make the **multi-strand black pearl ring**: The materials are listed in the variation section of the equipment list. The ring is mounted on 3 different elastic threads, each about 20 cm long. Cut your pieces of wire, then stretch them to loosen them and prevent them from loosening once the ring is finished.

On the first wire, thread 1 silver 4 mm bead, 1 pearly 6 mm bead, then through the top hole of the 3-row spacer, 1 new 6 mm bead, then through the top hole of the second spacer. Thread a third 6 mm pearly bead, then a round 4 mm 925 Silver bead and 9 4 mm pearly beads. Hold the ring together to form a loop and test it on your finger to see if you need to add or remove 4 mm pearly beads.



★ Step 2/5

Close with a double surgeon's knot. The surgeon's knot is a single knot, but the two ends of the thread are wound twice instead of once. Do not cut the thread.



★ Step 3/5

Repeat steps 1 and 2 twice to complete the other two rows. Don't cut the threads just yet.



★ Step 4/5

Proceed row by row:

Cut the thread ends to within 2 mm of the knot. Apply glue to the knot. Slide the knot into the silver bead.



★ Step 5/5

White and gold multi-strand ring: The steps are the same, but the stringing is as follows: 1 gold bead 4 mm, 1 pearly bead 6 mm, the spacer, 1 pearly bead 6 mm, 1 round gold bead 4 mm, 11 pearly beads 4 mm.



Result