

## PEARL WEAVING EARRINGS

By : Lucie L Perles&Co



Easy



1h30

*How do you do it?*

## Which material to use for Pearl weaving earrings?

### SUPPLIES




Stainless steel 4 connectors for Miyuki weaving - Gold Tone x1  
Ref. : ACC-815  
Quantity : 1




Miyuki Delica 11/0 DB0433 - Galvanized Champagne  
Ref. : DB-0433  
Quantity : 1




11.5x9mm Epoxy resin round earstuds with closed ring - fine Gold plated - White x2  
Ref. : EAR-315  
Quantity : 1



True 2mm Fire Polished faceted round beads Crystal AB x50  
Ref. : FPB-086  
Quantity : 1



Miyuki Seed beads 8/0 196 - Opal 24kt Yellow Gold Lined x5g  
Ref. : MR08/196  
Quantity : 1



Miyuki Seed beads Duracoat 8/0 4202 - Galvanized Gold  
Ref. : MR08/4202  
Quantity : 1



8x4mm Mother of Pearl Tube Beads - Natural x40cm  
Ref. : NA-737  
Quantity : 1



Bugles Twist Miyuki 6 mm TW-1262- Tr Topaz Gold Antique Mat x10g  
Ref. : TW-1262  
Quantity : 1



Miyuki Nylon Beading thread B 0.25 mm Semolina x50 m  
Ref. : UFC-059  
Quantity : 1

### SUPPLIES



Miyuki Beading needles x6  
Ref. : OAC-162  
Quantity : 1


## steps

### ★ Step 1/5

Choose the spacer(s) on which you wish to weave your beads. There are two possible solutions:

- make a single pair of dangling earrings each consisting of two weaving spacers
- make two separate pairs of earrings each consisting of a single spacer

Cut a length of yarn, about 1m, and tie it with a knot to one of the holes at one end.



### ★ Step 2/5

Start weaving your beads either by letting your imagination run wild or by following the suggested pattern:

- 1 "free" row: 8/0 seed beads, mother of pearl tube, 2 Bohemian facets 2 mm side by side (be careful to fix them well in the weave)
- 1 row of Miyuki Delicas 11/0.


You can of course choose various beads (from the bottom of a bag for example) for a disordered or asymmetrical effect.

Be careful to anticipate the diameter of the various beads so that they can all fit inside the weave.



### ★ Step 3/5

Here is the final result of the weaving. You can use it as a model for stringing the beads if you want an exact reproduction of this jewel.



★ Step 4/5

Cut and burn any protruding threads on the back of the spacer.



★ Step 5/5

Attach the spacer to your ear stud by simply opening an open ring with your pliers.  
If you wish to use another ear stud, check beforehand its compatibility (presence of a ring, open or closed, diameter of the wire compared to the diameter of the hole in the spacer)  
Your pair of earrings is finished! According to your initial choice you can make a second pair with the remaining spacers!



Result