

MIYUKI ZIGZAG WEAVING BRACELET BRICK STITCH

By : Tiffanie Perles&Co



Advanced



4h

How to make a non-rectangular Miyuki bracelet?

In this tuto, we suggest you make a Miyuki beaded bracelet that zigzags beautifully on your wrist. This weaving grid comes from a former cherry blossom miyuki weaving kit that we offered in 2018, in a limited edition. If you've missed it, this is your chance to discover it again.

To make this Miyuki bracelet, we used the Brick Stitch weaving technique. This needle weaving technique consists in weaving seed beads in a staggered pattern. We've already seen this method in this [beaded conch shell tutorial](#) and these [Miyuki chevron earrings](#).

This tutorial is intended for designers who have mastered the brick stitch technique. You'll need to know how to [start a brick stitch weave](#), how to [make decreases and increases](#), and how to move your thread through the weave. To finish the woven bracelet, we used end caps connected to a chain and clasp. Handy when you've got a bit of chain left over in a drawer and don't know what to do with it!

Once you've finished this pretty piece of jewelry, you're bound to have some pearls left over, so we suggest you check out our other DIY jewelry ideas, all from the Miyuki Fleur de cerisier kit :

- [Miyuki dark blue and pinkpeyote oddpearl bracelet](#)
- [Miyukidrop ear rings](#) and [MiniDuo beads in Brick Stitch](#)
- [Miyuki half-moon brick stitchnecklace](#)

What does your creation look like? Feel free to show us the result on our Facebook page or Instagram account, mentioning Perles & Co.

Which material to use for Miyuki ZigZag weaving bracelet Brick Stitch?

SUPPLIES




5X0.7mm Open Jump Rings - European-made -fine Gold plated x50
Ref. : ACC-396
Quantity : 1




Terminator for beads weaving 10 mm fine Gold plated x1
Ref. : ACT-244
Quantity : 2



Chain thin links 1.8x2.2mm fine Gold plated x 1m
Ref. : CHU-107
Quantity : 1



Miyuki Delica 11/0 DB0878 - Mattete Opaque Turquoise Green AB
Ref. : DB-0878
Quantity : 1



Miyuki Delica 11/0 DB1054 - Matte Metallic Plum Gold Iris
Ref. : DB-1054
Quantity : 1



Miyuki Delica 11/0 DB1500 - Opaque Bisque White AB
Ref. : DB-1500
Quantity : 1



Fine Gold plated springing clasp with tag 5mm x1
Ref. : FRM-583
Quantity : 1



Miyuki Nylon Beading thread B 0.25 mm White x50 m
Ref. : UFC-493
Quantity : 1

SUPPLIES



11.5cm Bent-nose pliers by Perles & Co - Glitter Mint x1
Ref. : ATT-825
Quantity : 1



11cm Cutting pliers by Perles & Co - Glitter Mint x1
Ref. : ATT-826
Quantity : 1



11.5cm Flat nose pliers by Perles& Co - Glitter Mint x1
Ref. : ATT-827
Quantity : 1



Miyuki Beading needles x6
Ref. : OAC-162
Quantity : 1



Jewel Glue Hasulith 30ml
Ref. : OUTIL-007
Quantity : 1

steps


★ Step 1/5

Cut 1.5 sts of yarn and start the brick stitch weaving with the usual ladder stitch. Weave the bead line indicated by the box and the arrow.




★ Step 2/5

Raise to add the second row of beads. It doesn't matter which side you start on. We started with the top row. On each row on either side of the center line, a bead has been added: a turquoise bead and a white bead. Add these beads with the ladder stitch. These beads will be used to slide the weaving tip in. They will be hidden inside the tip at the end of the tutorial. Go through the two turquoise beads at least 3 times so that the bead at the end is well fixed.




★ Step 3/5

Then go through the turquoise and then dark blue bead as shown in the diagram. Then attach the dark blue top bead. The thread will show on both sides. Pass through the turquoise bead again and then the last turquoise bead of row 1. Weave the other side following the same logic. Continue weaving the bracelet.



★ Step 4/5

Once the weaving is complete, put glue on the two end beads on each side and slip the weaving tips onto these beads sticking out of the weaving. Close the tip. Position the tip so that it is centered over the weave before the glue dries.



★ Step 5/5

Test the weave on your wrist and measure the size needed to complete the bracelet with the round link chain and cut it. Then cut it into 2 pieces. Connect the chain to the ends with an open ring and add the spring clasp with more open rings.



Result

