

MIYUKI 4-ROW BRACELET AT THE LOOM

By : Tiffanie Perles&Co



Easy



2h

How to weave a Miyuki bracelet on a loom?

How to weave a Miyuki bracelet on a loom?

This Miyuki bracelet is perfect for beginners who want to learn how to weave beads on a loom. This tutorial presents the main steps to achieve it but for more detailed information on the use of the loom and the wax and tips that you can use, go to our technical sheet: [How to use a beading kit for weaving projects](#).


The loom proposed in this tutorial is a basic loom type, if you want a more efficient loom, go to our [adjustable loom](#) or our category [Looms](#).

Step 1: Mount 5 threads on the loom. Here we used Miyuki yarn but you can use other [yarns](#). If you are using the photo loom, fix the top rail where you fixed the first wire horizontally and the other almost vertically. This saves a few centimeters in length on the loom to make longer bracelets. Take the thread on the spool and pull it to a length equal to the amplitude of your arms. Once folded in half in the needle this length allows to have a good ease of weaving.



Step 2:

Tie with a double knot the end of the thread to one of the warp threads leaving at least 15 cm of thread end to tack the thread into the weave later. Thread the first 4 beads of the weaving according to the diagram. Pass the thread with the needle under the warp threads. With your finger, place each bead between 2 threads. Insert the needle into the set of beads being careful to pass the needle over the string threads otherwise your bead will not be properly attached to the weave.



Step 3: Thread the next 4 beads, pass the needle under the warp threads and place the beads between 2 threads again. Insert in the beads with the needle over the warp threads. Continue to weave following the pattern. Once at the end of the loom, do the two legs of wood and turn them between 45° and 90° in the same direction to increase the length of the bracelet.



Step 4: Finish your bracelet. It must be the size of your wrist. The clasp will add 2 cm of amplitude to this dimension so that it is easier to put on and more comfortable to wear. Remove the yarns from the loom, taking care not to undo your weaving. Cut the loops to have several simple threads to enter.



Step 5: Tuck the threads into the weave one by one with the needle through the woven beads. The goal is to go through the beads several times to block the thread. Stop in the middle of the weave and cut the remaining thread. You can possibly put a small dot of glue with a brush on the sides so that the threads do not break afterwards. Do not enter the warp thread on both sides of the bracelet it will serve you to hang the clasp.

Step 6: Thread the warp thread back onto the needle and go behind the middle part of the clasp and then back to the last row on the other side. Take a second turn, then if possible a third. Block the thread in the weave and cut it, then repeat this step with the other end of the thread on the other side of the bracelet.



Your bracelet is finished! We like to see what you do with the tutorials on Perles & Co. So, do not hesitate to send us photos of your creations on our [Facebook](#) page or to tag us on [Instagram](#) @perlesandco.




Which material to use for Miyuki 4-row bracelet at the loom?

SUPPLIES




Sterling S. lobster claw clasp Terminator 9 mm for Miyuki 11/0 4 rows
Ref. : ARG-159
Quantity : 1




Miyuki Delica 11/0 DB0183 - Silver Lined Royal Blue
Ref. : DB-0183
Quantity : 1



Miyuki Delica 11/0 DB0351 - Mat Opaque White
Ref. : DB-0351
Quantity : 1



Miyuki Delica 11/0 DB1527 - Matte Opaque Light Sky Blue AB
Ref. : DB-1527
Quantity : 1



Miyuki Delica 11/0 DB1577 - Opaque Agate Blue AB
Ref. : DB-1577
Quantity : 1



John James Beading needle Size 10 55 mm x25
Ref. : OAC-337
Quantity : 1



Metal Beading Loom
Ref. : OUTIL-217
Quantity : 1



Miyuki Nylon Beading thread B 0.25 mm Smorty Blue x50 m
Ref. : UFC-061
Quantity : 1

Result